



721 Cortaro Dr.
Sun City Center, FL 33573
www.acslabcannabis.com
DEA No. RA0571996
FL License # CMTL-0003
CLIA No. 10D1094068

Certificate of Analysis
Compliance Test

Client Information:

NOT YOUR BAKERY

150 NW 16th St.

Boca Raton, FL 33432

Batch # jsnooze1
Batch Date: 2024-05-27
Extracted From: Hemp

Test Reg State: Florida

Order # NOT240603-120001
Order Date: 2024-06-03
Sample # AAFQ422

Sampling Date: 2024-06-04
Lab Batch Date: 2024-06-04
Completion Date: 2024-06-10

Initial Gross Weight: 186.500 g

Number of Units: 1
Net Weight per Unit: 4000.000 mg



Product Image

Potency
Tested

Delta 8/Delta 10 Potency 13 - (LCUV)
Specimen Weight: 1522.000 mg

Tested
SOP13.052 (LCUV)

Potency Summary

0.003%	Total Delta 8	0.120 mg	-	Total Delta 10	None Detected
0.141%	Total Active THC	5.640 mg	0.005%	Total Active CBD	0.200 mg
0.005%	Total CBG	0.200 mg	0.641%	Total CBN	25.640 mg
0.801%	Total Cannabinoids	32.040 mg			

Pieces For Panel: 40

Analyte	LOD (%)	LOQ (%)	Result (mg/g)	(%)
CBN	1.40E-5	0.0015	6.410	0.641
Delta-9 THC	1.30E-5	0.0015	1.410	0.141
CBD	5.40E-5	0.0015	0.050	0.005
CBG	2.48E-4	0.0015	0.050	0.005
Delta-8 THC	2.60E-5	0.0015	0.030	0.003
CBC	1.80E-5	0.0015	0.020	0.002
Delta6a10a-THC	8.47E-5	0.0015	0.020	0.002
THCV	7.00E-6	0.0015	0.020	0.002
CBDA	1.00E-5	0.0015	<LOQ	<LOQ
CBDV	6.50E-5	0.0015	<LOQ	<LOQ
CBGA	8.00E-5	0.0015	<LOQ	<LOQ
Delta-10 THC	3.00E-6	0.0015	<LOQ	<LOQ
THCA-A	3.20E-5	0.0015	<LOQ	<LOQ
Total Active CBD			0.050	0.005
Total Active THC			1.410	0.141

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.87), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THC = THC + (THCVA * 0.87), CBG Total = (CBGA * 0.877) + CBG, CBN Total = (CBNA * 0.877) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034 Sample not received via laboratory sampling. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034 Sample not received via laboratory sampling.
This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.